

# Ενισχυτής Γραμμής

## DA101

Ενισχυτής γραμμής με 26dB gain /  
108dBuV στάθμη εξόδου με equalizer




Leading the signal  
all over the world



# Ενισχυτής Γραμμής

Ο DA101 είναι ένας full band ενισχυτής με 26dB απολαβή και στάθμη εξόδου RF στα 108dBuV, με 20dB equalizer. Έχει εξαιρετική απόδοση και γραμμικότητα στα RF, ενώ το μεταλλικό του σκάφος παρέχει μια στιβαρή κατασκευή με εξαιρετική ηλεκτρομαγνητική θωράκιση.



Ενισχυτής γραμμής με 26dB gain / 108dBuV στάθμη εξόδου με equalizer

## DA101

### Τεχνικά Χαρακτηριστικά

#### Electrical

Frequency range	50...860MHz
Output level IMD3 @-60dB [EN60728-3]	108dBuV
Output level IMD2 @-60dB [EN60728-3]	100dBuV
Return Loss	>13dB
Linearity	±1dB
Impedance	75Ω

#### Gain

Gain	26dB ±1
Noise figure	6dB

#### Loss

Attenuation	0...20dB
Equalization	0...15dB

#### Connectors

Input/Output	1/1
Test point output	-
Connector	F-female

#### Operational

LED indicator	Blue
IP Housing protection class	IP 20
Insulation class	II

#### EAN-13

Code	5213009761710
------	---------------

#### General

Power supply	+12VDC
Power supply consumption	170mA max.
Operating temperature	0 °C to 40 °C
Storage temperature	-10 °C to +70 °C
Humidity	Up to 90%
Dimensions	165 x 110 x 37 mm
Weight	0.50 Kg



www.lemco.gr



Λαθίας 46 - 13678 Αχαρνές - Αθήνα

 +30 210 2811401,  +30 210 2405237  +30 210 2825755  info@lemco.gr

follow us:  @Lemco  @Lemcodtv  /company.lemco