

Ενισχυτής Γραμμής

DA102

Ενισχυτής γραμμής με 36dB gain /
118dBuV στάθμη εξόδου με equalizer




Leading the signal
all over the world



Ενισχυτής Γραμμής

Ο DA102 είναι ένας full band ενισχυτής με 36dB απολαβή και στάθμη εξόδου RF στα 118dBuV, με 20dB equalizer. Έχει εξαιρετική απόδοση και γραμμικότητα στα RF, ενώ το μεταλλικό του σκάφος παρέχει μια στιβαρή κατασκευή με εξαιρετική ηλεκτρομαγνητική θωράκιση.



Ενισχυτής γραμμής με 36dB gain / 118dBuV στάθμη εξόδου με equalizer

DA102

Τεχνικά Χαρακτηριστικά

Electrical

Frequency range	100-1200MHz
Output level IMD3 @-60dB [EN60728-3]	118dBuV
Output level IMD2 @-60dB [EN60728-3]	114dBuV
Return Loss	>13dB
Linearity	±1dB
Impedance	75Ω

Gain

Gain	36dB ±1
Noise figure	6dB

Loss

Attenuation	0...20dB
Equalization	0...15dB

Connectors

Input/Output	1/1
Test point output	-
Connector	F-female

Operational

LED indicator	Blue
IP Housing protection class	IP 20
Insulation class	II

EAN-13

Code	5213009761727
------	---------------

General

Power supply	+12VDC
Power supply consumption	290mA max.
Operating temperature	0 °C to 40 °C
Storage temperature	-10 °C to +70 °C
Humidity	Up to 90%
Dimensions	165 x 110 x 37 mm
Weight	0.50 Kg



www.lemco.gr



Λαθέας 46 - 13678 Αχαρνές - Αθήνα

+30 210 2811401, +30 210 2405237 +30 210 2825755 info@lemco.gr

follow us: @Lemco @Lemcodtv /company.lemco