

# Ενισχυτής Γραμμής

## DA103

Ενισχυτής γραμμής με 36dB gain /  
120dBuV στάθμη εξόδου με equalizer




Leading the signal  
all over the world



# Ενισχυτής Γραμμής

Ο DA103 είναι ένας full band ενισχυτής με 36dB απολαβή και στάθμη εξόδου RF στα 120dBuV, με 20dB equalizer. Έχει εξαιρετική απόδοση και γραμμικότητα στα RF, ενώ το μεταλλικό του σκάφος παρέχει μια στιβαρή κατασκευή με εξαιρετική ηλεκτρομαγνητική θωράκιση.



Ενισχυτής γραμμής με 36dB gain / 120dBuV στάθμη εξόδου με equalizer

## DA103

### Τεχνικά Χαρακτηριστικά

#### Electrical

Frequency range	100-1200MHz
Output level IMD3 @-60dB [EN60728-3]	120dBuV
Output level IMD2 @-60dB [EN60728-3]	115dBuV
Return Loss	>13dB
Linearity	±1dB
Impedance	75Ω

#### Gain

Gain	36dB ±1
Noise figure	6dB

#### Loss

Attenuation	0...20dB
Equalization	0...15dB

#### Connectors

Input/Output	1/1
Test point output	1 @-20dB
Connector	F-female

#### Operational

LED indicator	Blue
IP Housing protection class	IP 20
Insulation class	II

#### EAN-13

Code	5213009761734
------	---------------

#### General

Power supply	+12VDC
Power supply consumption	380mA max.
Operating temperature	0 °C to 40 °C
Storage temperature	-10 °C to +70 °C
Humidity	Up to 90%
Dimensions	175 x 110 x 37 mm
Weight	0.57 Kg



www.lemco.gr



Λαθείας 46 - 13678 Αχαρνές - Αθήνα

+30 210 2811401, +30 210 2405237 +30 210 2825755 info@lemco.gr

follow us: @Lemco @Lemcodtv /company.lemco